

# Gereedschapswagen Europlus

940PLUS3

NIEUW



## Product attributen

- materiaal: premium PLUS plaatstaal
- central locking system with a lock and folding key
- slot met sleutel inbegrepen en foam-sleutelhanger
- oil and acid resistant casters of a diameter of 125mm, one with brake, which blocks spinning and swiveling of the caster
- corners protected with anti-shock rubber
- 7 drawers (5x L 563 x W 365 x H 70mm, 2x L 563 x W 365 x H 150mm)
- basic dimensions with handle and casters L 801 x W 524 x H 931mm
- static load capacity of carriages without casters: 2000 kg
- dynamic load capacity of carriages: 500 kg
- maximum capacity of each drawer: 45kg


- coated with eco colour of Qualicoat quality standard
- total volume of drawers: 137 litres
- drawers compatible with SOS tool trays 1/3, 2/3, 3/3
- wide range of accessories

### Voordelen:

- full extension drawers with soft closing mechanism
- ergonomic handle for easy opening of drawer
- drawer fronts can be customized with graphic design as separate order
- improved colour durability

### Why Choose Unior:


- Unior is a renowned name in the tool industry, synonymous with quality and reliability. With century of experience, Unior products are trusted by professionals worldwide for their superior performance and innovative design.



Barcode	L	B	H	H1	Weight
629590	801	524	931	778	61600

\* Afbeeldingen van producten zijn symbolisch. Alle afmetingen zijn in mm en gewicht in gram. Alle vermelde afmetingen kunnen variëren in tolerantie.

### Gebruik (Afbeeldingen)





## Accessoires



Houder voor AKU schroevendraaier



Houder voor hamers




Houder met pin



Houder voor tangen



Houder voor schroevendraaiers



Houder voor sleutels



Bussenhouder voor 940ECO



Kunststof bak, 13 delige set



Basis voor kunststof bakken



Hakenset, 10 stuks



Dubbele hakenset, 10 stuks

# Onderdelen



Slot met sleutels



Set of casters

# Gerelateerde producten



Gereedschapswagen Euromotion



Gereedschapswagen Hercules