

Gola sada v SOS zásobníku

964/30SOS



Profiles



Product features


- Ideal for automotive maintenance, machinery repair, and general mechanical tasks, the 964/30SOS - 621389 Set of Socket Wrenches offers versatility and reliability. The sockets come in various sizes to accommodate different bolt heads, while the included accessories such as extensions and adapters enhance the set's functionality. The SOS tool tray ensures that each tool is securely held in place, preventing loss or disorganization during transport or use. This set is tailored for professionals who demand precision and durability in their tools.
- Rozmer zásobníka na náradie: 564 x 364 x 30 mm
- Kompatibilné so zásuvkami radu Eurostyle, Eurovision, Euromotion, Europlus a Hercules (predné zásuvky).












Sada obsahuje:

















- 12x hlavica 1/4", 6-hranná (produkt 188/2 6P) rozmer 4, 4,5, 5, 5,5, 6, 7, 8, 9, 10, 11, 12, 13
- 7x hlavica 1/4" s vnútorným TX profilom (produkt 189/2) rozmer E4, E5, E6, E7, E8, E10, E11
- 19x hlavica 1/4"; imbus (produkt 187/2HX roz. 3, 4, 5, 6, 7), profil TX (produkt 187/2TX roz. TX8, TX10, TX15, TX20, TX25, TX27, TX30, TX40), krížový (produkt 187/2PH rozmer PH 1,

PH 2, PH 3), plochý (produkt 187/2SL rozmer 0,8x4, 1,0x5,5, 1,2x7)

- 1x obojstranná račňa 1/4"
- príslušenstvo 1/4"; 1x otočná rukoväť, 1x posuvná T - rukoväť, 2x predlžovacia tyč (55, 150mm), 1x kardanový kĺb, 1x adaptér (1/4"-3/8")
- 1x otočná rukoväť 1/4"
- 17x hlavica 3/8", 6-hranná (produkt 238/1 6P) rozmer 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22
- 1x obojstranná račňa 3/8"
- príslušenstvo 3/8"; 1x otočná rukoväť, 1x posuvná T - rukoväť, 2x predlžovacia tyč (125, 250mm), 1x kardanový kĺb, 1x adaptér (3/8 - 1/2")
- 18x hlavica 1/2", 6-hranná (produkt 190/1 6P) rozmer 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32
- 1x obojstranná račňa 1/2"
- príslušenstvo 1/2"; 1x otočná rukoväť, 1x posuvná T - rukoväť, 2x predlžovacia tyč (125, 250mm), 1x kardanový kĺb



Product name	SKU	Article	Dimensions	Quantity
Gola sada v SOS zásobníku	621389	964/30SOS	-	96
Hlavica nástrčná 1/4" 6-hranná		188/2 6p	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13	12
Hlavica nástrčná s vnútorným TX profilom 1/4"		189/2	E 4, E 5, E 6, E 7, E 8, E 10, E 11	7
Hlavica zástrčná IMBUS 1/4"		187/2HX	3, 4, 5, 6, 7	5
Hlavica zástrčná TX 1/4"		187/2TX	TX 8, TX 10, TX 15, TX 20, TX 25, TX 27, TX 30, TX 40	8
Hlavica zástrčná plochá 1/4"		187/2SL	0.8 x 4, 1.0 x 5.5, 1.2 x 7	3
Hlavica zástrčná PH 1/4"		187/2PH	PH 1, PH 2, PH 3	3
Račňa 1/4"		188.1/1ABI	1/4"	1
Vratidlo 1/4"		188.2/2BI	1/4"	1
Vratidlo 1/4"		188.3/2	1/4"	1
Nadstavec dlhý 1/4"		188.4/2	1/4"x55, 1/4"x150	2
Kardanový kĺb 1/4"		188.6/2	1/4"	1

Product name	SKU	Article	Dimensions	Quantity
Adaptér 1/4"		188.7/2	1/4" - 3/8"	1
Rukoväť pre hlavice 1/4"		188.8	1/4"	1
Hlavica nástrčná 3/8"		238/1 6p	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22	17
Račňa flexibilná 3/8"		238.1/1FBI	3/8"	1
rukoväť s kĺbom		238.2/1BI	3/8"	1
Vratidlo 3/8"		238.3/1	3/8"	1
Predĺženie 3/8"		238.4/2	3/8"x45, 3/8"x75	2
Nadstavec 3/8", dlhý		238.4/1	3/8"x125, 3/8"x250	2
Kardanový kĺb 3/8"		238.6/1	3/8"	1
Redukcia 3/8"		238.7/1	3/8" - 1/2"	1
Hlavica nástrčná 1/2"		190/1 6p	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32	18
Račňa 1/2"		190.1/1ABI	1/2"	1
Rukoväť s kĺbom 1/2"		190.2/1BI	1/2"x380	1
Vratidlo 1/2"		190.3/1	1/2"	1
Nadstavec dlhý 1/2"		190.4/1	1/2"x250, 1/2"x125	2
Kardanový kĺb 1/2"		190.6/2	1/2"	1
Zásobník pre sadu 964/30SOS		vI964/30SOS	564x364x30	1

* Obrázky sú symbolické. Všetky rozmery sú v mm, hmotnosť je v g. Všetky udané rozmery sa môžu líšiť v rámci tolerancie.