

Garnitura grip kliješta za stopice s izmjenjivim glavama, u plastičnoj kutiji

428/4AGPB



Profili



Atributi proizvoda

- materijal: Premium Plus ugljični čelik
- završna obrada: fosfatiranje po standardu DIN12476
- robusne ručke izolirane dvokomponentnim navlakama

- dimenzije kutije: 307x260x55

Prednosti:

- automatski sistem za pričvršćivanje omogućava pouzdan rad
- sistem za brzu izmjenu do 4 različita tipa čeljusti

Upotreba

- za izolirane stopice AWG10-12/14-16/18-22 (4-6/1.5-2.5/0.5-1.0mm²)
- za neizolirane stopice AWG14-6 (0.2-16mm²)
- za obloge na krajevima kabela AWG22-6 (0.5-16mm²)
- za BNC/TNC koaksijalne spojnice RG-58, RG-59/62. Hex spojnice 0.255 (6.48mm²), 0.213 (5.41mm²), 0.068 (1.73mm²)



621557

1315

* Slike proizvoda su simbolične. Sve dimenzije su u mm, masa je u g.

upotreba (pictures)



Rezervni djelovi



Rezervna čeljust za izolirane priključke za 428/4AG



Rezervna čeljust za koaksijalne i hex konektore za 428/4AG



Rezervna čeljust za neizolirane priključke za 428/4AG



Rezervna čeljust za obloge na krajevima kablova za 428/4AG

Frequently asked questions

Why is it necessary to use crimping pliers for cable connections? Why not simply use combination pliers?

When working with cable connections, you must use crimping pliers because this is the only way to press the connections together correctly and accurately. This is a requirement for the safety of the joints and provided for by the grooves/shapes on the pliers.