

Trekker met twee verstelbare armen

680/2








Profielen

 **Premium** *Flex+* **Premium** 

Product attributen


- material: body from premium flex plus carbon steel, arm from premium chrome vanadium steel
- drop forged, entirely hardened and tempered
- surface finish: chrome plated according to ISO 1456:2009, screw blackened
- arms adjustable in two positions
- lever action claws fit closely under the part to be removed



	No	L↑	D↑			M	S	
612603	0	90	90	20	2	M 10 x 1	13	405
601762	1	130	160	30	3	M 14 x 1,5	17	915
601763	2	190	230	40	4	M20 x 2	22	2078
601764	3	250	300	60	6	M 22 x 2	24	4075

* Afbeeldingen van producten zijn symbolisch. Alle afmetingen zijn in mm, en het gewicht in grammen. Alle vermelde afmetingen kunnen variëren in tolerantie.

Gebruik (Afbeeldingen)



Onderdelen

 Arm

 Spindle

Gerelateerde producten



Trekker, 2-armig












Trekker, 2-armig



Trekker met drie verstelbare armen

Veiligheid (Afbeeldingen)



Veelgestelde vragen

Kunnen we een grotere trekkracht bereiken met een drie-armige trekker in vergelijking met een twee-armige trekker?

Dat hangt af van de afmetingen. In principe wel, want de kracht wordt verdeeld over meerdere armen.

Eén been is gebroken. Moet ik alle benen vervangen of alleen het gebroken been ?

Het is noodzakelijk om alle benen te vervangen.