


□912/5□□□□□□□□


























932













配置文件



□□□□	SKU	文章	尺寸	数量
□912/5□□□□□□□□	601994	932	-	135
工具箱 - 5□抽□		912/5	560x210x225	1
□□□□□□□□□□		110/1CB		1
□□□□□□□□□□		125/1CB		1
□□□□□□□□□□		180/1CB		1
3/8" 火花塞套筒		186.4/2	21	1

品名	SKU	文章	尺寸	数量
1/4"双向棘口扳手		188.1/1ABI	1/4"	1
1/4"旋口手柄		188.2/2BI	1/4"	1
1/4"T型手柄滑杆		188.3/2	1/4"	1
1/4" 延口杆		188.4/2	1/4"x55, 1/4"x150	2
1/4"套筒		188/2 6p	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 13	11
1/2"的双向棘口扳手		190.1/1ABI	1/2"	1
1/2" 旋口手柄		190.2/1BI	1/2"x380	1
1/2"T型手柄滑杆		190.3/1	1/2"	1
1/2" 延口杆		190.4/1	1/2"x125, 1/2"x250	2
1/2" 万向口		190.6/2	1/2"	1
1/2"套筒		190/1 6p	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32	18
□□□□□□□□□□		200/2CB		1
□□□□		205/2	60 - 140	1
□□□□□□		212/2	24	1
塑料封套内六角扳手套装		220/3PB		1
3/8" 可□双向棘口扳手		238.1/1FBI	3/8"	1
3/8" 延口杆		238.4/2	3/8"x45, 3/8"x75	2
□□□□		300/2	400 (2x)	2
□□□		405/1BI	180	1
□□□		425/4A	1.5 - 6x240	1
万能□□		430/3	175	1
刹□□簧□		431/2	325	1
双槽□		445/1BI	240	1
□□□		455/1BI	160	1
平□□		472/1BI	140	1
□□□		476/1BI	140	1
通用□皮剪		563R/7PR	280	1

品名	SKU	文章	尺寸	数量
TBI柄一字螺口刀		605TBI	0.5 x 3.0x80, 0.8 x 4.0x100, 1.0 x 5.5x125, 1.2 x 6.5x150, 1.2 x 8.0x175, 1.6 x 10.0x200	6
TBI柄十字(PH)螺口刀		615TBI	PH 1x80, PH 2x100, PH 3x150, PH 4x200	4
TBI柄粗短十字(PH)螺口刀		626TBI	PH 2x25	1
TBI柄粗短一字螺口刀		627TBI	0.8 x 4.0x25	1
汽口口口6-12/24V		631	6 - 12	1
冲口		640/6	3, 4, 5	3
中心冲口		642/6	5	1
平口		660/6	150, 250	2
十字口		670/6	150	1
口口		812	300, 500	2

\* Images of products are symbolic. All dimensions are in mm, and weight in grams. All listed dimensions may vary in tolerance.