

# Screwdriver set TBI

#### 606CS5TBI



### **Profiles**



#### Product features

#### Set includes:

• 5x flat screwdriver TBI (article 605TBI) dim. 0.5x3.0x80, 0.8x4.0x100, 1.0x5.5x125, 1.2x6.5x150, 1.2x8.0x175

| Product name         | SKU    | Article   | Dimensions  | Quantity |
|----------------------|--------|-----------|---|----------|
| Screwdriver set TBI  | 616320 | 606CS5TBI | -   | 5        |
| Flat screwdriver TBI |        | 605TBI    | 0.5 x 3.0x80, 0.8 x<br>4.0x100, 1.0 x 5.5x125,<br>1.2 x 6.5x150, 1.2 x<br>8.0x175 | 5        |

<sup>\*</sup> Images of products are symbolic. All dimensions are in mm, and weight in grams. All listed dimensions may vary in tolerance.

# Safety tips



- Use a screw holding screwdriver to get screws started in awkward, hard-to-reach areas
- Use a stubby screwdriver in close quarters where a conventional screwdriver cannot be used.
- A rounded tip should be redressed with a file; make sure edges are straight.
- Screwdrivers used in the shop are best stored in a rack. This way, the proper selection of the right screwdriver can be quickly made.
- Keep the screwdriver handle clean; a greasy handle is apt to cause accidents.
- A screwdriver should never be used as pry bar. If it is overstressed in this manner, the blade might break and send a particle of steel into the operator's arm or even towards his eyes.



- Don't use pliers on the handle of a screwdriver to get extra turning power. A wrench should only be used on the square shank or bolster of a screwdriver that is especially designed for that purpose.
- Don't expose a screwdriver blade to excessive heat as it may reduce the hardness of the blade.
- Don't use a screwdriver with a split or broken handle.
- Don't use a regular screwdriver to check a storage battery or to determine if an electrical circuit is live

## Safety (pictures)







