

Dopsleutelset in SOS-module

964/47SOS



Profielen




Product attributen

















- Tool tray dimension: 564 x 364 x 30 mm
- Compatible with drawers of Eurostyle, Eurovision, Euromotion, Europlus and Hercules (front drawers) line

Set bevat

- 11x socket 1/4", 12 point (article 188/2 12P) dim. 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14
- 18x screwdriver socket 1/4"; hex (article 187/2HX dim. 3, 4, 5, 6, 7), TX profile (article 187/2TX dim. TX8, TX10, TX15, TX20, TX25, TX27, TX30, TX40), crosstip (article 187/2PH dim. PH 1, PH 2), flat (article 187/2SL dim. 0.8x4, 1,0x5,5, 1,2x7)
- 1X Reversible ratchet 1/4"
- accessories 1/4"; 1x sliding T - handle, 2x extension bar (55, 150mm), 1x universal joint
- 1x spinner handle 1/4"
- 20x socket 1/2", 6 point (article 190/1 6P) dim. 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 26, 27, 28, 30, 32
- 1X Reversible ratchet 1/2"
- accessories 1/2"; 1x sliding T - handle, 2x extension bar (125, 250mm), 1x universal joint
- 4x pin punch (article 641/6) dim. 3, 4, 5, 6

- 1x centre punch (article 642/6) in dim. 5
- 2x flat chisel (article 660/6) in dim. 150, 200



| Productnaam | SKU | Artikel | Afmetingen | Hoeveelheid |
|---|---|------------|--|-------------|
| Dopsleutelset in SOS-module | 623988 | 964/47SOS | - | 67 |
| Dopsleutel 1/4" |  | 188/2 6p | 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 | 11 |
| Dopsleutel-schroevendraaier 1/4" inbus |  | 187/2HX | 3, 4, 5, 6, 7 | 5 |
| Dopsleutel-schroevendraaier 1/4" phillips |  | 187/2PH | PH 1, PH 2 | 2 |
| Dopsleutel-schroevendraaier 1/4" sleuf |  | 187/2SL | 0.8 x 4, 1,0 x 5,5, 1,2 x 7 | 3 |
| Dopsleutel-schroevendraaier 1/4" TX |  | 187/2TX | TX 8, TX 10, TX 15, TX 20, TX 25, TX 27, TX 30, TX 40 | 8 |
| Omschakelbare ratel 1/4" |  | 188.1/1ABI | 1/4" | 1 |
| Schuifgreep 1/4" |  | 188.3/2 | 1/4" | 1 |
| Verlengstuk 1/4" |  | 188.4/2 | 1/4"x150, 1/4"x55 | 2 |
| Cardangewricht 1/4" |  | 188.6/2 | 1/4" | 1 |
| Handgreep 1/4" |  | 188.8 | 1/4" | 1 |
| Dopsleutel 1/2" |  | 190/1 6p | 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 26, 27, 28, 30, 32 | 20 |
| Omschakelbare ratel 1/2" |  | 190.1/1ABI | 1/2" | 1 |
| Schuifgreep 1/2" |  | 190.3/1 | 1/2" | 1 |
| Verlengstuk 1/2", kogelkop | | 190.4/1S | 1/2"x125, 1/2"x250 | 2 |
| Cardangewricht 1/2" |  | 190.6/2 | 1/2" | 1 |
| Pendrijver |  | 641/6 | 3, 4, 5, 6 | 4 |
| Centerpunt |  | 642/6 | 5 | 1 |

| Productnaam | SKU | Artikel | Afmetingen | Hoeveelheid |
|-----------------------------|---|-------------|------------|-------------|
| Koudbeitel, plat-ovaal |  | 660/6 | 150, 200 | 2 |
| SOS tool tray for 964/47SOS | | VL964/47SOS | 564x364x30 | 1 |

* Afbeeldingen van producten zijn symbolisch. Alle afmetingen zijn in mm en gewicht in gram. Alle vermelde afmetingen kunnen variëren in tolerantie.