

406/1BI




配置文件



ISO 5746



- 材料: 高
- 落, 完全淬火与回火
- 切削刃感 淬火
-
- 表面处理: 根据ISO 1456:2009
- 重型双成分材料手柄
- UNIORD激光
- 根据ISO 5746






| Barcode | L | B | C | A | Weight |
|---------|-----|----|----|------|--------|
| 607870 | 160 | 24 | 35 | 9.5 | 224 |
| 607871 | 180 | 27 | 38 | 10 | 274 |
| 607872 | 200 | 29 | 41 | 10.5 | 341 |
| 608354 | 220 | 32 | 47 | 11 | 421 |

切割能力 (10N=1kg)

| Barcode | L | max 1600 N/mm ² Ø↑ | max 650 N/mm ² Ø↑ |
|---------|-----|-------------------------------|------------------------------|
| 607870 | 160 | 1,6 | 2,0 |
| 607871 | 180 | 1,8 | 2,5 |
| 607872 | 200 | 2,0 | 2,5 |
| 608354 | 220 | 2,0 | 3,0 |

* Images of products are symbolic. All dimensions are in mm, and weight in grams. All listed dimensions may vary in tolerance.

用途 (pictures)



Safety tips



● Pliers should be oiled regularly. A drop of oil at the hinge will lengthen the tool life and assure easy operation.



● Don't use pliers for cutting hardened wire, unless specifically manufactured for this purpose.

- When cutting wire with pliers, you should always wear glasses or goggles.
- Handles are provided for comfort. They are not intended to give user any degree of protection against electric shocks and should never be used on live electric circuits.
- Don't expose pliers to excessive heat. This may ruin the tool.
- Don't use pliers as a hammer.
- Don't hammer on the handles. They may crack or break.
- Don't extend the length of plier handles to secure greater leverage.
- Don't use pliers on nuts or bolts. A wrench will do a better job and with less risk of damage to the fastener.

Frequently asked questions

The head profile on the screw has deformed to such an extent that it cannot be unscrewed with a screwdriver. Which Unior tool can be used in this case?

407/4DP screw pliers are the best choice for unscrewing screws with a damaged head profile.