



Set alata 4 za art. 2600A-US i 2600C-US - moment ključevi i klešta
























SET4-2600AC-US



Profili



| Naziv proizvoda | SKU | Artikal | Dimenzije | Količina |
|--|---|----------------|--|----------|
| Set alata 4 za art. 2600A-US i 2600C-US - moment ključevi i klešta | 628631 | SET4-2600AC-US | | 68 |
| Ključ viljuškasto-okasti dugi |  | 120/1 | 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18 | 13 |
| Klešta za zatezanje sajle sa zabrljivanjem |  | 1642.1/2P-US | | 1 |

| Naziv proizvoda | SKU | Artikal | Dimenzije | Količina |
|---|---|----------------|-----------------------------------|----------|
| Imbus trokraki |  | 1781/2HX-US | 2x2,5x3, 4x5x6 | 2 |
| Ključ sa TX profilom, trokraki |  | 1781/2TX-US | 10x15x25 | 1 |
| Ključ nasadni imbus, prihvat 1/4" |  | 187/2HX | 3, 4, 5, 6 | 4 |
| Ključ nasadni sa TX - Toreks profilom, prihvat 1/4" |  | 187/2TX | TX 10, TX 15, TX 25, TX 27, TX 30 | 5 |
| Čegrtaljka dvosmerna 1/4" |  | 188.1/1ABI-US | 1/4" | 1 |
| Nastavak dugi, prihvat 1/4" |  | 188.4/2 | 1/4"x100 | 1 |
| Adapter, prihvat 1/4" |  | 188.7/2 | 1/4" - 3/8" | 1 |
| Ključ nasadni, prihvat 1/4" |  | 188/2 6p | 8, 9, 10, 11, 13, 12, 14 | 7 |
| Ručka sa zglobovom 1/2" |  | 190.2/1BI-US | 1/2"x450 | 1 |
| Nastavak, prihvat 1/2" |  | 190.4/1 | 1/2"x125 | 1 |
| Adapter, prihvat 1/2" |  | 190.7/2 | 1/2"x3/8" | 1 |
| Ključ nasadni, prihvat 1/2" |  | 190/1 6p | 15 | 1 |
| Ključ nasadni imbus, prihvat 1/2" |  | 192/2HX | 6, 8 | 2 |
| Ključ nasadni imbus dugi, prihvat 1/2" |  | 192/2HXL | 10x64 | 1 |
| Ključ imbus sa loptastom glavom i T-ručkom |  | 193HXS-US | 3, 4, 5 | 3 |
| Ključ imbus |  | 220/3 | 3, 4, 5, 6, 8, 1.5, 2, 2.5 | 8 |
| Ključ imbus dugi |  | 220/3L | 10, 12 | 2 |
| Ključ imbus loptasti dugi |  | 220/3SL | 3, 4, 5, 6, 8 | 5 |
| Ključ imbus sa Torx profilom i rupicom |  | 220/7TX | TR 10 | 1 |
| Moment ključ, digitalni | | 266B | 1/4"x1 - 20, 1/2"x4,3 - 85 | 2 |
| Klešta kombinovana, izolovana |  | 406/1VDEBI | 160 | 1 |
| Plastične obloge za art. 449/1PYTHON |  | 449.1 | 240 | 1 |
| Papagaj klešta sa paralelnim čeljustima |  | 449/1PYTHON-US | 240 | 1 |
| Klešta špicasta prava, izolovana |  | 506/1VDEBI | 140 | 1 |

| Naziv proizvoda | SKU | Artikal | Dimenzije | Količina |
|---------------------------------------|-----|------------|------------|----------|
| SOS uložak 4 za art. 2600A i 2600C | | vI4-2600AC | 560x570x40 | 1 |

* Fotografije proizvoda su simbolične. Sve dimenzije su u mm, a težina u gramima. Sve navedene dimenzije mogu odstupati u granicama tolerancija.