


Set of tools in tray 2 for 3800MX














SET2-3800MX



Product attributen

Set bevat

- hex socket 1/4" 3, 4, 5, 6, 7
- screwdriver socket with TX profile 1/4" 30, 40
- socket 1/4" 8, 10, 12, 13, 14
- universal joint 1/4"
- sliding T - handle 1/2"
- socket 1/2" 24, 27, 30, 32
- long screwdriver socket 1/2" with TX profile 45
- hex socket 3/8" 6, 8
- reversible ratchet 3/8", long form
- extension bar 3/8"
- adaptor 3/8"
- socket 3/8" 10, 12, 13, 14, 15, 17, 19, 21, 22
- tool for tyres valvelets
- spoke wrench for motorcycle
- spring hook tool
- T-wrench with square drive

Productnaam	SKU	Artikel	Afmetingen	Hoeveelheid
Set of tools in tray 2 for 3800MX	629523	SET2-3800MX		40
Dopsleutel-schroevendraaier 1/4" inbus		187/2HX	3, 4, 5, 6, 7	5
Dopsleutel-schroevendraaier 1/4" TX		187/2TX	TX 30, TX 40	2
Dopsleutel 1/4"		188/2 6p	8, 10, 12, 13, 14	5
Schuifgreep 1/2"		190.3/1	1/2"	1
Dopsleutel 1/2"		190/1 6p	24, 27, 30, 32	4
Dopsleutel-schroevendraaier 1/2" TX, lang		192/2TXL	TX 45	1
Dopsleutel-schroevendraaier 3/8" inbus		236/2HX	6, 8	2
Omschakelbare ratel 3/8", lang		238.1/1ALBI	3/8"	1
Verlengstuk 3/8"		238.4/1	3/8"x250	1
Verloopstuk 3/8"		238.7/1	3/8" - 1/2", 3/8" - 1/4"	2
Dopsleutel 3/8"		238/1 6p	10, 12, 13, 14, 15, 17, 19, 21, 22	9
Tool for tyres valvelets		2042/5	115	1
Spakenspanner voor motorfiets		3301/2	5x6x6,3x7, 5,4x5,6x6,5x6,8	2
Cardangewricht 1/4"		188.6/2	1/4"	1
Veerhaak		3600/2BI	4,2	1
T-handle with 1/4" drive		196Q	1/4"	1
Tool tray for MX tool set in tool chest 3800		v12.3800MX	560x267x30	1

* Afbeeldingen van producten zijn symbolisch. Alle afmetingen zijn in mm en gewicht in gram. Alle vermelde afmetingen kunnen variëren in tolerantie.

Gebruik (Afbeeldingen)



Foto (Afbeeldingen)



Gerelateerde producten



Set of tools in tray 1 for 3800MX



Set of tools in tray 3 for 3800MX